

# evo150

## ALL-IN-ONE-PLAYER

- 150W Per Channel At 8ohm
- Class Leading Hypex Ncore® Class D Amplification
- ESS Sabre DAC
- Roon Ready
- Full MQA Decoder
- TIDAL Connect, Spotify Connect & Qobuz built-in
- Bluetooth aptX HD in/out
- 3.5mm Headphone Output
- Asynchronous USB Audio In
- 3 x Digital Inputs
- TV ARC
- 3 x Analogue Inputs (1X Balanced XLR)
- Built-in Phonostage
- Optional CD Unit
- Customisable Finish
- Large 6.8" Display
- Dual Concentric Volume/Input Selector
- A/B Speaker Zones



streammagic



Qualcomm aptX HD



TIDAL



roon ready



# evo150

ALL-IN-ONE-PLAYER



POWER OUTPUT	150W into 8 Ohms
AMPLIFICATION	Class-D Hypex Ncore®
DAC	ESS Sabre ES9018K2M
FREQUENCY RESPONSE	20Hz - 20kHz +0/-3dB
ANALOGUE AUDIO INPUTS	1 x RCA, 1 x balanced XLR, 1 x Moving Magnet Phonostage
DIGITAL AUDIO INPUTS	2 x TOSLINK optical, 1 x S/PDIF coaxial, 1 x TV ARC,
USB AUDIO INPUT	USB Type B conforming to USB Audio Class 1 or USB Audio Class 2 (user selectable)
BLUETOOTH	4.2 A2DP/AVRCP supporting SBC, aptX and aptX HD codecs
COMPATIBILITY	TOSLINK optical: 16/24bit 32-96kHz PCM only S/PDIF coaxial: 16/24bit 32-192kHz PCM only USB Audio Class 1: Up to 24-bit 96kHz (asynchronous) USB Audio Class 2: Up to 32-bit 384kHz (asynchronous) and up to DSD 256 Bluetooth: 4.2 A2DP/AVRCP supporting up to aptX HD (24bit 48kHz) UPnP, Local USB media, Airplay 2, Chromecast built-in, Internet Radio, Spotify Connect, TIDAL, Qobuz, Roon Ready.
AUDIO FORMATS	ALAC, WAV, FLAC, AIFF, DSD (x256), WMA, MP3, AAC, HE AAC AAC+, OGG Vorbis
OUTPUTS	Speakers A+B, 3.5mm headphone, Preamp Output, Subwoofer Output, Bluetooth: 4.2 A2DP/AVRCP supporting up to aptX HD
ETHERNET	IEEE 802.3, 10 Base-T or 100 Base-T
WI-FI	Dual Band 2.4/5GHz
MAX POWER CONSUMPTION	700w
STANDBY POWER CONSUMPTION	<0.5w
DIMENSIONS (H X W X D)	305 x 305 x 90mm
WEIGHT	5.3Kg

# evo75

ALL-IN-ONE-PLAYER

- 75W Per Channel At 8ohm
- Class Leading Hypex Ncore® Class D Amplification
- ESS Sabre DAC
- Roon Ready
- Full MQA Decoder
- TIDAL Connect, Spotify Connect & Qobuz built-in
- Bluetooth aptX HD in/out
- 3.5mm Headphone Output
- 2 x Digital Inputs
- TV ARC
- 1 x Analogue Input
- Optional CD Unit
- Customisable Finish
- Large 6.8" Display
- Dual Concentric Volume/Input Selector



streammagic



# evo75

ALL-IN-ONE-PLAYER



POWER OUTPUT	75W into 8 Ohms
AMPLIFICATION	Class-D Hypex Ncore®
DAC	ESS Sabre ES9016K2M
FREQUENCY RESPONSE	20Hz – 20kHz +0/-3dB
ANALOGUE AUDIO INPUTS	1 x RCA
DIGITAL AUDIO INPUTS	1 x TOSLINK optical, 1 x S/PDIF coaxial, 1 x TV ARC
BLUETOOTH	4.2 A2DP/AVRCP supporting SBC, aptX and aptX HD codecs
COMPATIBILITY	TOSLINK optical: 16/24bit 32-96kHz PCM only S/PDIF coaxial: 16/24bit 32-192kHz PCM only USB Audio Class 1: Up to 24-bit 96kHz (asynchronous) USB Audio Class 2: Up to 32-bit 384kHz (asynchronous) and up to DSD 256 Bluetooth: 4.2 A2DP/AVRCP supporting up to aptX HD (24bit 48kHz) UPnP, Local USB media, Airplay 2, Chromecast built-in, Internet Radio, Spotify Connect, TIDAL, Qobuz, Roon Ready.
AUDIO FORMATS	ALAC, WAV, FLAC, AIFF, DSD (x256), WMA, MP3, AAC, HE AAC AAC+, OGG Vorbis
OUTPUTS	Speakers, 3.5mm headphone, Preamp Output, Subwoofer Output, Bluetooth: 4.2 A2DP/AVRCP supporting up to aptX HD
ETHERNET	IEEE 802.3, 10 Base-T or 100 Base-T
WI-FI	Dual Band 2.4/5GHz
MAX POWER CONSUMPTION	400w
STANDBY POWER CONSUMPTION	<0.5w
DIMENSIONS (H X W X D)	305 x 305 x 90mm
WEIGHT	5.0Kg

# evo

ALL-IN-ONE-PLAYER



evo150



evo75

POWER OUTPUT (INTO 8 OHMS)	150W	75W
DAC	ESS Sabre ES9018K2M	ESS Sabre ES9016K2M
MOVING MAGNET PHONOSTAGE	Yes	No
ANALOGUE RCA INPUT	Yes	Yes
XLR BALANCED INPUT	Yes	No
ASYNCHRONOUS USB INPUT	Yes	No
ARC INPUT	Yes	Yes
DIGITAL INPUTS	3	2
BLUETOOTH APTX HD IN/OUT	Integrated	Integrated
ANALOGUE OUTPUTS	RCA	RCA
SUBWOOFER OUTPUT	Yes	Yes
HEADPHONE OUTPUT	Yes	Yes
SPEAKER SETS	A/B Switching	A Only
RS232	Yes	No
TRIGGER IN/OUT	Yes	No